

Productname : Heat Sink Compound  
Ref.Nr.: BDS001215\_3\_20120918

Creationdate : 18.09.12 Version : 1.1  
Replaces: BDS001215\_20120322

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Heat Sink Compound  
Bulk

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Lubricants

### 1.3. Details of the supplier of the safety data sheet

CRC Industries Europe bvba  
Touwslagerstraat 1  
9240 Zele  
Belgium  
Tel.: +32(0)52/45.60.11  
Fax.: +32(0)52/45.00.34  
E-mail : hse@crcind.com

Subsidiaries		Tel	Fax
CRC Industries Finland Oy	Asemanrinne 13, 08500 Lohja	+358/(19)32.921	+358/(19)383.676
CRC Industries France	6, avenue du marais, C.S. 90028, 95102 Argenteuil Cedex	01.34.11.20.00	01.34.11.09.96
CRC Industries Deutschland GmbH	Südring 9, D-76473 Iffezheim	(07229) 303.0	(07229)30 32 66
CRC INDUSTRIES IBERIA S.L.U.	GREMIO DEL CUERO-PARC.96, POLIGONO INDUSTRI. DE HONTORIA, 40195 SEGOVIA	0034/921.427.546	0034/921.436.270
CRC Industries Sweden	Kryptogatan 14, 431 53 Mölndal	0046/31 706 84 80	0046/31 27 39 91

### 1.4. Emergency telephone number

CRC Industries Europe, Belgium: Tel.: +32(0)52/45.60.11 (office hours)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to 67/548/EEC or 1999/45/EC:

Health: not classified  
Physical: not classified



CRC Industries Europe bvba

Touwslagerstraat 1, 9240 Zele – Belgium  
Tel (+32) (0) 52 / 45 60 11 – Fax (+32) (0) 52 / 45 00 34 – www.crcind.com

1 / 8

# Safety Data Sheet

Regulation EC No 1907/2006 Art.31

**Productname :** Heat Sink Compound  
**Ref.Nr.:** BDS001215\_3\_20120918

**Creationdate :** 18.09.12 Version : 1.1  
**Replaces:** BDS001215\_20120322

**Environment:** R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
**Other hazards :** not classified

## 2.2. Label elements

**Warning symbol(s) :** N : DANGEROUS FOR THE ENVIRONMENT



**Risk-phrase(s) :** R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety-phrase(s) :** S61: Avoid release to the environment. Refer to special instructions/Safety data sheets.  
S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

## 2.3. Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

### 3.2. Mixtures

Mixture of polydimethylsiloxane and inert fillers

Hazardous ingredient	CAS-nr.	EC-nr	w/w %	symbol	R-phrases*	Notes
zinc oxide	1314-13-2	215-222-5	>50	N	50/53	B

#### Explanation notes

B : substance with national established workplace exposure limit

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
zinc oxide		1314-13-2	215-222-5	>50	Aquatic Acute 1, Aquatic Chronic 1	H400,H410	B

#### Explanation notes

B : substance with national established workplace exposure limit

(\* Explanation phrases : see chapter 16)

## SECTION 4: First aid measures



**CRC Industries Europe bvba**

Touwslagerstraat 1, 9240 Zele – Belgium  
Tel (+32) (0) 52 / 45 60 11 – Fax (+32) (0) 52 / 45 00 34 – www.crcind.com

2 / 8

**Productname :** Heat Sink Compound  
**Ref.Nr.:** BDS001215\_3\_20120918

**Creationdate :** 18.09.12 Version : 1.1  
**Replaces:** BDS001215\_20120322

#### 4.1. Description of first aid measures

<b>Contact with eyes :</b>	If substance has got into eyes, immediately wash out with plenty of water for several minutes Seek medical attention if irritation persists
<b>Contact with skin :</b>	Wash with water and soap. Seek medical attention if irritation persists
<b>Inhalation :</b>	Fresh air, keep warm and at rest. Seek medical attention if ill effects occur
<b>Ingestion :</b>	If swallowed do not induce vomiting Seek medical advice

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation :</b>	Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness
<b>Ingestion :</b>	May cause gastrointestinal disturbances Symptoms : sore throat, abdominal pain, nausea, vomiting
<b>Skin contact :</b>	Mildly irritating to skin Symptoms : redness and pain
<b>Eye contact :</b>	Mildly irritating to eyes Symptoms : redness and pain

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>General Advice :</b>	If you feel unwell, seek medical advice (show the label where possible) If symptoms persist always call a doctor
-------------------------	---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

foam, carbon dioxide or dry agent

#### 5.2. Special hazards arising from the substance or mixture

Forms hazardous decomposition products  
CO,CO2

#### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water  
In case of fire, do not breathe fumes

### SECTION 6: Accidental release measures



<b>Productname :</b> Heat Sink Compound	<b>Creationdate :</b> 18.09.12	<b>Version :</b> 1.1
<b>Ref.Nr.:</b> BDS001215_3_20120918	<b>Replaces:</b>	BDS001215_20120322

**6.1. Personal precautions, protective equipment and emergency procedures**

Shut off all ignition sources  
Ensure adequate ventilation  
Wear suitable protective clothing including eye/face protection.

**6.2. Environmental precautions**

Do not allow to enter public sewers and watercourses  
If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

**6.3. Methods and material for containment and cleaning up**

Absorb spillage in suitable inert material

**6.4. Reference to other sections**

For further information see section 8

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Use only in well ventilated areas  
Avoid contact with skin and eyes.  
Wash thoroughly after use  
Wear protective gloves/protective clothing/eye protection/face protection.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep in a cool, dry, well ventilated place  
Keep out of reach of children.

**7.3. Specific end use(s)**

Lubricants

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits :**

No information available

**Productname :** Heat Sink Compound  
**Ref.Nr.:** BDS001215\_3\_20120918

**Creationdate :** 18.09.12 Version : 1.1  
**Replaces:** BDS001215\_20120322

## 8.2. Exposure controls

<b>Control procedures :</b>	Ensure adequate ventilation
<b>Personal protection :</b>	Take precautions to avoid contact with skin and eyes when handling the product.
	Ensure adequate ventilation
<b>inhalation :</b>	In case of insufficient ventilation, wear suitable respiratory equipment. Air purifying respirator equipped with organic gas/vapor cartridge (type A or AX)
<b>hands and skin :</b>	Wear suitable protective gloves against chemicals (nitrile)
<b>eyes :</b>	Wear safety goggles.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Apperance : physical state :</b>	Paste.
<b>colour :</b>	White.
<b>odour :</b>	Characteristic odor.
<b>pH :</b>	Not applicable.
<b>Boiling point/range :</b>	Not available.
<b>Flash point :</b>	> 340 °C
<b>Evaporation rate :</b>	Not applicable.
<b>Explosion limits : upper limit :</b>	Not available.
<b>lower limit :</b>	Not available.
<b>Vapour pressure :</b>	< 0.01 kPa (@ 20°C).
<b>Relative density :</b>	2.3 g/cm <sup>3</sup> (@ 20°C).
<b>Solubility in water :</b>	Insoluble in water
<b>Auto-ignition :</b>	Not available.
<b>Viscosity :</b>	Not available.

### 9.2. Other information

**VOC:** 0 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions known if used for its intended purpose

### 10.2. Chemical stability

Stable



**Productname :** Heat Sink Compound  
**Ref.Nr.:** BDS001215\_3\_20120918

**Creationdate :** 18.09.12 Version : 1.1  
**Replaces:** BDS001215\_20120322

### 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

### 10.4. Conditions to avoid

Avoid overheating

### 10.5. Incompatible materials

Strong oxidising agent

### 10.6. Hazardous decomposition products

CO,CO2

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Inhalation :** Inhalation of solvent vapours may give rise to nausea, headaches and dizziness  
**Ingestion :** May cause gastrointestinal disturbances  
**Skin contact :** May cause irritation.  
**Eye contact :** May cause irritation.

#### Toxicological data :

No information available

## SECTION 12: Ecological information

### 12.1. Toxicity

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Ecotoxicological data:

Hazardous ingredient	CAS-nr.	method	
zinc oxide	1314-13-2	LC50 fish	1.1 mg/l
		EC50 daphnia	0.098 mg/l

### 12.2. Persistence and degradability



**Productname :** Heat Sink Compound  
**Ref.Nr.:** BDS001215\_3\_20120918

**Creationdate :** 18.09.12 Version : 1.1  
**Replaces:** BDS001215\_20120322

No experimental data available

### 12.3. Bioaccumulative potential

No experimental data available

### 12.4. Mobility in soil

Insoluble in water

### 12.5. Results of PBT and vPvB assessment

No information available

### 12.6. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Product :** This material and its container must be disposed of in a safe way.  
Do not discharge into drains or the environment, dispose to an authorised waste collection point.

**Contaminated packaging :** Disposal should be in accordance with local, state or national legislation

## SECTION 14: Transport information

### 14.1. UN number

UN-number : 3077

### 14.2. UN proper shipping name

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains zinc oxyde)

### 14.3. Transport hazard class(es)

Class: 9  
ADR/RID - Classification code: M7

### 14.4. Packing group

Packing group: III



**Productname :** Heat Sink Compound  
**Ref.Nr.:** BDS001215\_3\_20120918

**Creationdate :** 18.09.12 Version : 1.1  
**Replaces:** BDS001215\_20120322

#### 14.5. Environmental hazards

ADR/RID - Environmentally hazardous: Yes  
IMDG - Marine pollutant: Marine pollutant  
IATA/ICAO - Environmentally hazardous: Yes

#### 14.6. Special precautions for user

ADR/RID - Tunnelcode: (E)  
IMDG - Ems: F-A, S-F  
IATA/ICAO - PAX: 911  
IATA/ICAO - CAO: 911

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.  
EU-directive 99/45/EC  
Regulation (EC) No 1907/2006 (REACH)

#### 15.2. Chemical safety assessment

No information available

### SECTION 16: Other information

\*Explanation risk-phrases: R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
\*Explanation hazard statements: H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.